Bulletin of the Torrey Botanical Club 114(4), 1987, pp. 499–502

INDEX TO VOLUME 114, 1987

Acalypha rhomboidea, 293
ALLEN, EDITH B., 272
ALLEN, MICHAEL F., 272
Analysis,
  canonical discriminant, 402
  chi-square, 429
  cluster, 33, 109
  detrended correspondence analysis (DCA), 173
  Fisher's least square difference, 387
  general linear model (SAS), 173
  homogeneity, *F*-max test, 393
  importance percentage, 173
  Kruskal-Wallis test, 121
  least significant difference test, ?93
  line intercept, 429
  LSD multiple range test, 46
  multivariate (MANOVA), 33
  parallelism, sample *t*-test, 393
  principal components ordination, 33
  regression, 393
  regression, linear, 387
  relative density, 127
  relative dominance values, 127
  similarity, Jaccard's coefficient, 387
  size-class analysis, 33
  variance,
    one-way, 387, 429
    two-way ANOVA, 1, 46, 393
ANDERSON, ROGER C., 46
Andropogon arenarius, 402
Andropogon bicornis, 402
Andropogon lateralis, 402
Andropogon lindmanii, 402
Anthoxanthum, 252
Artemisia tridentata, 272
Association,
  Cole's index of interspecific, 387
Autogamous seeds, 134

BAIRD, LISA M., 260
BASKIN, CAROL C., 169
BASKIN, JERRY M., 169
Beetles, chrysomelid (*Altica* sp.), 13
BENNETT, BRADLEY C., 265
Bibliography,
  annotated, by and about Emily Lovira Gregory (1841–1897), 307
  pre-blight distribution of *Castanea dentata,* 183
Biomass, 46, 272, 393
BOERNER, RALPH E. J., 173
Botanical text books, 19th century, 307
Bouteloua hirsuta, 387
Bromeliads, epiphytic,
  Fraxinus-Annona swamp habitat, 265
  spatial distribution, 265
BROWN, HELEN DAVIS, 180
BRUBAKER, CURT L., 437
Bryum sp., 1
Buchloe dactyloides, 393
BURNEY, D. A., 156
BURNEY, L. P., 156
BUSH, J. K., 393

CAMPBELL, CHRISTOPHER S., 402
CANTINO, PHILIP D., 33
CARVELL, KENNETH L., 121
Castanea dentata, 183
*Catopsis berteroiana,*265
Catopsis floribunda, 265
Catopsis nutans, 265
Celastrus orbiculatus, 260
Celastrus scandens, 260
Chestnut,
  migration lag, 183
  post-glacial migration, 183
  pre-blight distribution, 183
  rootcrown sprout origin, 183
  seedling establishment, 183
CHO, DO-SOON, 173
CID-BENEVENTO, CARMEN R., 293
CLARKSON, ROY B., 8
COLLINS, SCOTT L., 387
Communities,
  bog, 429
  Empetrum nigrum shrubland, 429
  Kalmia angustifolia shrubland–*Ledum groenlandicum/Chamaedaphne calyculata* phase, 429
  Kalmia angustifolia shrubland–Vaccinium angustifolium/Cladonia lichen phase, 429
  old-field, 139, 330
  on granite outcrops, 387
  soil drainage classes, 429
  Sphagnum peatland–*Rubus chamaemorus/C. calyculata* phase, 429
  Sphagnum peatland–*Scirpus cespitosus/V. oxycoccus* phase, 429
Competition,
  intra- and interspecific, 393
CROCKETT, LAWRENCE J., 60, 191, 336, 450

DAVIS, MARK A., 134
Density, 393
DOYLE, KATHLEEN M., 429
DRYER, GLENN D., 260

Endemic, 169, 280, 412
Erythrina, 437
Eutrophication, 180
Extrafloral nectaries,
  stipel, 437
  stipule, 437
  trichome, 437

FAHEY, TIMOTHY J., 429
FICKLER, CHRISTINE, 260
Fire ecology, 156
Floral sex ratio, 293
Forest,
  chestnut, pre-blight distribution, 183
  deciduous, southern Ohio, 33
  maritime, 156
  Nags Head, 156
  old growth, forest remnant, 173
  old growth, Hawk Woods, 33
  sandhill pine, 21
  structure, 173

tropical lowland, 419
vegetation types,
mixed mesophytic, 33
mixed oak-tulip poplar, 33
oak-heath, 33
oak-hickory, 33
white oak, 33
Freshwater, tidal wetland, 1
FREY, DAVID, 407
FRICK, HUGH, 252, 407

Gaps, experimental,
seedling colonization, 139
GAWLER, SUSAN C., 280
GOLDBERG, DEBORAH E., 139
Goll Woods,
environment–vegetation relationships, 173
forest structure, 173
size-frequency distribution, 173
species composition, 173
GOLLUSCIO, RODOLFO A., 103
Gregory, Emily Lovira, 307, 319
GRIFFIN, DANA III, 18
Growth analysis, 407
Growth rates,
leaf area, 46
Guzmania monostachia, 265

HAMMER, CHARLES A., 33
HANCOCK, J. F., 53
HASKINS, JACQUELINE L., 13
Hedera helix, 407
Herbivory, 13
Heterophylly, 407
HOULE, FILLES, 412
Hybridization,
interspecific, 402
sterility, 402

Insectivory, 13

KAUFFMAN, GARY L., 33
KING, DAVID A., 419

LAMONT, ERIC E., 330
LECK, MARY ALLESSIO, 1
LERSTEN, NELS, 437
Life-form spectra, 412
Life forms, 46
Load-bearing capacity,
crown load, 419
safety factors, 419
stability,
elastic, 419
inelastic, 419
trunk diameter, 419
Ludwigia decurrens, 13
Ludwigia leptocarpa, 13
LUKEN, J. O., 247

Macronutrients, 429
Macrophytes, aquatic,
Lake Mize, Florida, 180
MCCORMICK, J. FRANK, 169
MENGES, ERIC S., 280

Moss,
Delaware River wetlands, 1
South American páramos, 18
Mucuna, 437
MUSSO, DON C., 448
MYERS, RONALD L., 21

Nectaries,
extrafloral, 437
Neotype, 448
Nutrients,
inorganic, 46

Oligotrophic, 180
Onoclea sensibilis, 1
Opuntia,
central Appalachians, 8
morphological variation, 8
systematics, 8
West Virginia, 8
Paleoecology,
chestnut, pre-blight distribution, 183
Nags Head Woods, 156
North Carolina Outer Banks, 156
PARATLEY, ROBERT D., 429
PARKER, KATHLEEN C., 149
Partitioning,
altered orientation, 407
dry matter, 407
Pedicularis furbishiae,
endemic, 280
reproduction, 280
riparian habitat, 280
seedling recruitment, 280
St. John River Valley, Maine, 280
survival, 280
Perils and pleasures of publishing, 307
Phenotypic plasticity, 109
Photon flow rate, 407
Photon flux, 407
Pilea pumila, 293
PIZZOLATO, THOMPSON D., 252
Plant anatomy concepts, 307
Plantago wrightiana, 387
Pleuridium venezuelanum sp. nov., 18
PLOCHER, ALLEN E., 121
Poa ligularis, 103
Pollen analysis,
interdunal ponds, 156
North Carolina Outer Banks, 156
Pollination,
butterflies, 134
carpenter bees, 134
hummingbirds, 134
Pollination, explosive, 134
Population dynamics,
age distribution, 121
biosystematic interpretations, 109
disturbance, 121
rosebay rhododendron thickets, 121
seedling establishment, 121
variation, 109
vegetative propagation, 121
Populations,
organ pipe cactus, 149
size structure, 149
southern Arizona, 149

Portulaca smallii, 169
PRITTS, M. P., 53
Productivity, 393
Prosopis glandulosa var. *glandulosa*, 393
Publishing, 307

Reproductive effort, 53
  life forms, 46
  seral environments, 46
Reproductive potential,
  pollen viability, 260
  seed dispersal, 260
  seed germination, 260
  seed viability, 260
Reproductive success,
  biomass allocation, 293
  increasing vegetative size, 293
  rapid site preemption, 293
  size structured population, 293
Resource allocation,
  seed production vs. vegetative growth, 247
Rhododendron maximum, 121
Rhus typhina, 247
RITCHIE, DONALD D., 325
ROMEO, PEGGY A., 8
Root-shoot ratios, 393
Roots,
  biomass, 103
  patchy distribution, 103
  production, 103
  spatial heterogeneity, 103
  traps, 103
RUSSELL, EMILY W. B., 183

Sandhill vegetation,
  fire history, 21
  land use, 21
  soil samples, 21
SATORRE, EMELIO, 103
SCHMID, RUDOLF, 307
SCOTT, MICHAEL L., 13
Sedum nuttalianum, 387
Seed,
  partitioning of photoassimilate, 252
  sink for photoassimilates, 252
  vascular supply discontinuous, 252
Seed germination,
  buried seeds, 169
  seasonal changes, 169
Seedling establishment,
  gaps, 139
  nurse plants, 149
  seed size, life span, 139
  slope and exposure, 149
  soil samples, water availability, 139
  undisturbed microsites, 139
Selaginella peruviana, 387
Seral environments, 46
Shrub establishment in semi-arid steppe,
  snowmold, 272
  soil moisture, 272
  variable precipitation, 272
  vesicular-arbuscular mycorrhiza (VAM), 272
SIMPSON, ROBERT D., 1
SORIANO, ALBERTO, 103
Spatial distribution,
  aspect, 265
  host morphology, 265
  location of host in habitat, 265
  optimal germination sites, 265
  patchiness, 265
  temperature and light gradients, 265
Sporebank, Delaware River
  cattail, 1
  freshwater tidal wetland, 1
  high marsh, 1
  shrub forest, 1
  site and depth differences, 1
STALTER, RICHARD, 330
Stenocereus thurberi, 149
STEPHENSON, STEVE L., 8
STEVENSON, DENNIS WM., 307
Stipa humilis, 103
Stipa speciosa, 103
Succession,
  natural and disturbed vegetation, 139
  old-field, 330
Succession, primary,
  on granite outcrops, 387

Taraxacum laevigatum, 109
Taraxacum officinale, 109
TAYLOR, RONALD J., 109
Thalia geniculata, 134
Tidal wetland, freshwater, 1
Torrey, John, On the Trail of,
  #5, 60
  #6, 191
  #7, 336
  #8, 450
Tripsacum dactyloides, 46
Tulostoma, 448
Tylostoma cretaceum, 448
Tylostoma gracile, 448

UNO, GORDON E., 387

VAN AUKEN, O. W., 393
Variables,
  interpopulational, 109
  intrapopulational, 109
  morphological, 109
  phenolic (chemical), 109
Vegetation,
  American beech-dominated forest, 127
  Appalachians, southern, 121
  Arabia Mountain, 412
  Black Swamp Physiographic Province, 173
  Brazil, 402
  chestnut, pre-blight distribution, 183
  Costa Rica, 419
  deciduous forest, southeastern Ohio, 33
  density, 121
  epiphytic bromeliads, 265
  Florida, 21
  forest structure, 33
  Fraxinus-Annona swamp habitat, 265
  Goll Woods, northwestern Ohio, 173
  granite outcrops, Georgia, 412
  granite outcrops, Oklahoma, 387
  granite outcrops, Piedmont, 169
  grasses, Patagonian arid steppe, 103
  Hawk Woods, 33
  heathlands, subalpine, 429

Hempstead Plains,
magnolia-beech forest, 127
Mahoosuc Range, Maine, 429
maritime forest, 156
Mitchell Field, L.I., New York, 330
mixed-grass prairie, 387
Nags Head Woods, 156
North Carolina Outer Banks, 156
Oklahoma, 387
old-field succession, 330
old-growth forest, 33
old-growth forest remnant, 173
Opuntia, 8
original growth forest, 127
Patagonia, arid steppes, 103
prairie, 330
rosebay rhododendron thickets, 121
sand pine scrub, 21
sandhill pine forest, 21
southeast Louisiana, 127
tropical lowland forest, 419
wetland herbaceous species, 13

WALLER, DONALD M., 280
WEST, NEIL E., 272
Wetland, freshwater tidal,
soil samples, 1
Wetland herbaceous species,
effects of grazing by beetles, 13
Wetlands, 13
WHITE, DAVID A., 127
WHITE, DEBORAH L., 21
WINDISCH, PAULO G., 402